

Inventco Water Door Closer

Retail Parts Price List (Dec 01, 2021)

Email: sales@inventco.com

Phone: 1800 812 292

www.inventco.com.au



Product Description	Product Image	Product Code <small>*Please quote this product code on your orders</small>	Recommended Retail Price (GST Inclusive)
BUNG Rubber seal inside bottom of aluminum tube.		CODE 01	\$8.50
END CAP Plastic dress piece visible at bottom of aluminum closer tube.		CODE 02	\$7.25
3S PULLEY WHEEL With integral axle.		CODE 03	\$8.50
REPLACEMENT NYLON CORD Mono-filament nylon line.		CODE 04 A	\$9.70
REPLACEMENT NYLON CORD/WEIGHT HANGER KIT		CODE 04 B	\$18.20
REPLACEMENT NYLON CORD & ANCHOR LUG		CODE 04 C	\$19.40
3S WEIGHT HANGER		CODE 05	\$8.50

*Price are Exclusive of shipping & are subject change without notice.

3S ANCHOR LUG & NYLON CORD KIT WITH WEIGHT HANGER Supplied as a kit. Includes Anchor Lug, Nylon Cord and Weight Hanger		CODE 06	\$28.00
3S SPEED CONTROL SLEEVES (Set Of 3) (Refer to Tips & Advice section for more information)		CODE 07	\$8.50
3S PULLEY BOX & ANCHOR KIT With Pulley Wheel and Foam Pad. Supplied as a kit that also includes Nylon Cord and Anchor Lug.		CODE 08	\$30.00
3S VALVE ASSEMBLY With ball & cage and supplied as a kit that also includes one set of three Speed Control Sleeves. (not shown. Refer 3S Speed Control Sleeves above)		CODE 09	\$25.90
3S BLACK WEIGHT		CODE 10	\$24.90
3S HEAVY DUTY SILVER WEIGHT 15% heavier than standard black weight		CODE 11	\$33.90
3S UPGRADE KIT Comprises: 2 Black Weights, Pulley Box Kit Valve Assembly Kit	The current 3S Door Closer version was released in October 2008. Earlier closers can be identified by white PVC covered weights with a key ring attachment for the nylon cord.	CODE: 12	\$112.00

Price are Exclusive of shipping & are subject change without notice.

Inventco - Colour Swatch

InventCo Group

Available Water Door Closer Colours 2021

BLACK SATIN	
MONUMENT MATT	
ANOTEC DARK GREY	
BRONZE ANODIZED	
HAMERSELY BROWN	
WOODLAND GREY	
CLEAR ANODIZED	
ANODIC SILVER GREY	
PEARL WHITE GLOSS	
WHITE BIRCH	
MAGNOLIA	
STONE- BEIGE	
PAPERBARK	
PRIMROSE	
DOESKIN	
POTTERY	
SILVER REIGN	

Email: sales@inventco.com | Phone: 07 5578 9015
www.inventco.com

Tips & Advice

- If the door is latching too strongly/loudly with the standard two weights, always try fitting the Slow valve sleeve (S) to achieve a softer close rather than removing one of the weights.
- The weights are designed to be eased apart sideways. Extra care should be taken not to drop them when handling as the end connections can fracture if impacted. Such damage is not covered by warranty, nor is corrosion of the steel weight resulting from damage to the weight's plastic sheath.
- Guaranteed to close security and screen doors in good condition up to 1.5 x 2.4 metres in size. In the case of glass doors these can vary significantly in weight, and in friction between weather strip and track. Therefore, it is suggested that the closer be clamped to the door (for convenience to the leading stile) and pre-tested prior to final fitment. Inventco cannot warrant performance on glass doors. Advice best taken from your installer.